



Durabuild
ENTERPRISES

BUILDING THE FUTURE. PROTECTING IT FOR LIFE.

Durable Construction Chemicals &
Building Protection Solutions



WATERPROOFING



INDUSTRIAL
FLOORING



CONCRETE
REPAIR



PROTECTIVE
COATINGS



STRUCTURAL
STRENGTHENING



SEALANTS &
ADHESIVES



GERMAN
TECHNOLOGY



HIGH
PERFORMANCE



PROFESSIONAL
TECHNICAL SUPPORT



BUILT FOR
AFRICAN CLIMATE

✉ durabuild.ent@gmail.com

☎ 07026662956

📍 Block 4 Flat 11 Ogba Housing Estate,
Lagos Nigeria.

DURABUILD ENTERPRISE CATALOGUE

01

**DURA REBAR
PRIMER**

DURABLE ANTI-CORROSION COATING

DESCRIPTION

Dura Rebar Primer is a durable anti-corrosion coating designed to protect reinforcing steel from rust and corrosion before concrete repair or placement. It improves the bond between steel reinforcement and repair mortars while extending the service life of reinforced concrete structures.

APPLICATIONS

- Reinforcement steel protection
- Concrete repair projects
- Bridges and flyovers
- Marine structures
- Parking garages
- Industrial buildings
- Coastal structures
- Infrastructure rehabilitation

 Package size
 Part A 4ltr,
 Part B 1litre

02

**DURA FORM
RELEASE**

FORMWORK RELEASE AGENT

DESCRIPTION

DuraForm Release is a ready-to-use formwork release agent formulated to ensure clean and easy removal of concrete formwork. It minimizes surface defects, reduces formwork damage, and produces smooth, high-quality concrete finishes.

APPLICATIONS

- Timber formwork
- Steel formwork
- Plastic formwork
- Precast concrete production
- Cast-in-situ concrete
- Columns and beams
- Slabs
- Architectural concrete

 Package size
 25litres,
 200litres drum

03

**DURAPLAST
SNF 120**

HIGH-RANGE WATER REDUCER

DESCRIPTION

Duraplast SNF 120 is a sulphonated naphthalene formaldehyde (SNF)-based admixture designed to improve concrete workability while significantly reducing water demand. It produces high-strength, durable concrete with excellent placement characteristics.

APPLICATIONS

- Ready-mix concrete
- High-strength concrete
- Bridges
- High-rise buildings
- Precast concrete
- Industrial floors
- Foundations
- Water-retaining structures

 Package size
 220litrs. drum,
 1000litres tank

04

**DURAPLAST
SNF 101**

WATER-REDUCING ADMIXTURE

DESCRIPTION

Duraplast SNF 101 is a durable water-reducing admixture that enhances concrete workability, improves compressive strength, and reduces permeability. It is suitable for general structural concrete applications requiring improved performance.

APPLICATIONS

- Residential construction
- Commercial buildings
- Reinforced concrete
- Foundations
- Slabs
- Columns
- Beams
- Precast elements

 Package size
 220litrs. drum,
 1000litres tank

05

**DURAPLAST
PCE 120**

SUPERPLASTICIZER

DESCRIPTION

Duraplast PCE 120 is a polycarboxylate ether (PCE)-based superplasticizer developed for producing durable concrete with exceptional flowability, low water-cement ratio, and superior strength development.

APPLICATIONS

- Self-compacting concrete (SCC)
- High-performance concrete
- Pumped concrete
- Precast concrete
- Bridges
- High-rise structures
- Industrial floors
- Infrastructure projects

 Package size
 220litrs. drum,
 1000litres tank

06

**DURAPLAST
PCE 101**

POLYCARBOXYLATE ETHER-BASED WATER REDUCER

DESCRIPTION

Duraplast PCE 101 is a durable polycarboxylate ether-based water reducer that provides excellent workability retention and early strength development while producing durable, high-quality concrete.

APPLICATIONS

- Ready-mix concrete
- Pumped concrete
- Commercial buildings
- Residential projects
- Precast concrete
- Bridges
- Concrete pavements
- Structural concrete

 Package size
 220litrs. drum,
 1000litres tank

07

**DURA
RETARD 10**
SET-RETARDING ADMIXTURE
DESCRIPTION

Duraplast Retard 10 is a concrete set-retarding admixture formulated to delay the setting time of concrete without compromising its long-term strength. It improves workability retention during transportation and placement in hot weather.

APPLICATIONS

- Hot weather concreting
- Ready-mix concrete
- Large concrete pours
- Mass concrete
- Raft foundations
- Bridge construction
- Pumped concrete
- Dams

 Package size
220litrs drum,
1000litres tank

08

**DURACELL
ACCELERATOR**
ACCELERATING ADMIXTURE
DESCRIPTION

DuraCell Accelerator is a concrete accelerating admixture designed to speed up cement hydration, shorten setting time, and promote rapid early strength development, especially in cold weather or fast-track construction.

APPLICATIONS

- Cold weather concreting
- Precast concrete
- Road construction
- Repair works
- Fast-track construction
- Industrial floors
- Concrete repairs
- Structural concrete

 Package size
220litrs drum,
1000litres tank

09

**DURA-AIR
ENTRAINMENT**
AIR-ENTRAINING ADMIXTURE
DESCRIPTION

Dura-Air Air Entrainment is an air-entraining admixture that introduces microscopic air bubbles into concrete to improve workability, reduce bleeding, and enhance resistance to freeze-thaw cycles and scaling.

APPLICATIONS

- Pavements
- Highways
- Airport runways
- Bridge decks
- Exterior concrete
- Marine structures
- Cold climate construction
- Concrete exposed to de-icing salts

 Package size
220litrs drum,
1000litres tank

10

**DURA-CURE
COMPOUND**
CONCRETE CURING COMPOUND
DESCRIPTION

Dura-Cure is a membrane-forming curing compound designed to reduce moisture loss from freshly placed concrete. It promotes proper hydration, minimizes shrinkage cracking, and improves the strength and durability of concrete surfaces.

APPLICATIONS

- Concrete slabs
- Roads
- Bridges
- Industrial floors
- Pavements
- Parking areas
- Airport runways
- Concrete decks

 Package size
220litrs drum,
1000litres tank

11

DURA SUPERPLASTICIZERS
HIGH-RANGE WATER-REDUCING ADMIXTURES
DESCRIPTION

Dura Superplasticizers are high-range water-reducing admixtures developed to improve concrete flowability, increase strength, and reduce water demand without compromising workability. They enable the production of durable, high-performance concrete for demanding construction projects.

APPLICATIONS

- Ready-mix concrete
- Pumped concrete
- High-strength concrete
- Precast concrete
- Self-compacting concrete
- Bridges
- High-rise buildings
- Industrial floors

 Package size
220litrs drum,
1000litres tank

12

**DURA CORROSION
INHIBITOR**
POLYCARBOXYLATE ETHER-BASED WATER REDUCER
DESCRIPTION

Dura Corrosion Inhibitor is a specialized concrete admixture formulated to protect embedded steel reinforcement from corrosion caused by chlorides, carbonation, and aggressive environmental conditions. It significantly extends the service life of reinforced concrete structures.

APPLICATIONS

- Marine structures
- Bridges
- Parking structures
- Coastal developments
- Water treatment plants
- Industrial facilities
- Reinforced concrete buildings
- Infrastructure projects

 Package size
220litrs drum,
1000litres tank

13

DURA CRYSTAL
 CRYSTALLINE WATERPROOFING

DESCRIPTION

Dura Crystal is a cementitious crystalline waterproofing material designed to permanently protect concrete against water penetration. It reacts with moisture to seal pores and microcracks, providing long-lasting waterproofing.

APPLICATIONS

- Basements and foundations
- Water storage tanks
- Retaining walls
- Lift pits
- Concrete roofs
- Tunnels
- Sewage treatment plants
- Concrete slabs exposed to moisture

25kg bag

14

DURA CRYSTAL LIQUID
 LIQUID CRYSTALLINE WATERPROOFING

DESCRIPTION

Dura Crystal Liquid is a liquid crystalline waterproofing solution formulated to provide effective protection against water ingress by creating a durable waterproof barrier.

APPLICATIONS

- Concrete roofs
- External walls
- Foundations
- Water tanks
- Basements
- Retaining walls
- Wet areas
- Concrete repair projects

 25litres,
220litres drum

15

**DURA WP 120
PART A & PART B**
 TWO-COMPONENT CEMENTITIOUS WATERPROOFING

DESCRIPTION

Dura WP 120 is a two-component cementitious waterproofing system that forms a flexible waterproof coating resistant to positive and negative water pressure.

APPLICATIONS

- Bathrooms
- Balconies
- Roof slabs
- Swimming pools
- Water tanks
- Lift pits
- Foundations
- Retaining walls
- Planter boxes

 Package size
Part A-25kg bag
Part B-10litres
bucket

16

DURA RM 203
 CEMENTITIOUS REPAIR MORTAR

DESCRIPTION

Dura RM 203 is a durable cementitious repair mortar designed for restoring damaged concrete with excellent adhesion and strength.

APPLICATIONS

- Concrete columns
- Beams
- Bridges
- Parking structures
- Industrial floors
- Concrete facades
- Spalled concrete repairs
- Precast concrete elements

25kg bag

17

DURA RM 204
 STRUCTURAL REPAIR MORTAR

DESCRIPTION

Dura RM 204 is a durable structural repair mortar formulated for heavy-duty concrete rehabilitation.

APPLICATIONS

- Concrete repairs
- Marine structures
- Bridges
- Industrial facilities
- Parking garages
- Concrete beams and columns
- Retaining walls
- Infrastructure rehabilitation

25kg bag

18

DURA SL 502
 LEVELLING SCREED

DESCRIPTION

Dura SL 502 is a self-levelling cementitious screed for producing smooth, level floor surfaces before final floor finishes.

APPLICATIONS

- Residential floors
- Commercial floors
- Offices
- Hospitals
- Schools
- Shopping malls
- Tile underlayment
- Vinyl and carpet preparation

25kg bag

19

DURA LATEX
 BONDING AGENT AND MORTAR MODIFIER

DESCRIPTION
 Dura Latex is a polymer bonding agent and mortar modifier that enhances adhesion, flexibility, and durability.

APPLICATIONS

- Bonding new concrete to old
- Repair mortars
- Floor screeds
- Plastering
- Tile adhesives
- Waterproof renders
- Concrete patch repairs
- Cementitious toppings

 25litrs keg,
220litres drum

20

**DURA WP ADMIXTURE
(NON-CRYSTALLINE)**
 NON-CRYSTALLINE INTEGRAL WATERPROOFING
ADMIXTURE

DESCRIPTION
 Dura WP Admixture is a non-crystalline integral waterproofing admixture that reduces water absorption and permeability, improving the watertightness and durability of concrete and mortar.

APPLICATIONS

- Water tanks and reservoirs
- Basements and foundations
- Retaining walls
- Lift pits
- Concrete slabs
- Swimming pools
- Underground concrete structures
- Sewage and wastewater structures

25 kg Bag

21

**DURA ACRYLIC
MEMBRANE**
 ACRYLIC WATERPROOF COATING

DESCRIPTION
 Dura Acrylic Membrane is a durable acrylic waterproof coating that forms a seamless, flexible, UV-resistant membrane.

APPLICATIONS

- Roof waterproofing
- Balconies
- Terraces
- Concrete roofs
- External walls
- Parapet walls
- Canopies
- Podium decks

 25kg
Bucket

22

DURA BITUMEN
 BITUMEN-BASED WATERPROOF

DESCRIPTION
 Dura Bitumen is a bitumen-based waterproof coating providing durable protection against moisture penetration and corrosion.

APPLICATIONS

- Foundations
- Retaining walls
- Basements
- Underground structures
- Concrete footings
- External concrete walls
- Masonry surfaces
- Damp proofing

 25litrs Bucket,
220litrs Drum

23

**DURAFLOOR
PRIMER**
 ADHESION PRIMER

DESCRIPTION
 Dura Floor Primer is a primer that improves adhesion between concrete substrates and flooring or waterproofing systems.

APPLICATIONS

- Concrete floor preparation
- Self-levelling screeds
- Epoxy flooring
- Polyurethane flooring
- Waterproofing systems
- Industrial floors
- Commercial buildings
- Residential floor preparation

24

DURA GROUT
 PRECISION GROUTING

DESCRIPTION
 Dura Grout is a durable, non-shrink cementitious grout formulated for precision grouting applications. It develops excellent compressive strength while ensuring complete load transfer and long-term structural stability.

APPLICATIONS

- Machine base grouting
- Structural steel columns
- Bridge bearings
- Precast concrete elements
- Anchor bolts
- Crane rails
- Equipment foundations

25kg

25

APPLICATIONS

- Warehouses
- Manufacturing plants
- Loading bays
- Car parks
- Workshops
- Industrial floors
- Distribution centres

DURA HARD

SURFACE HARDENER

DESCRIPTION

Dura Hard is a dry shake surface hardener designed to improve the abrasion resistance and durability of concrete floors. It produces a dense, hard-wearing surface capable of withstanding heavy traffic and industrial use.

26

DURATILE GREY

TILE ADHESIVE

DESCRIPTION

Duratile Grey is a cement-based tile adhesive formulated to provide strong and durable bonding for ceramic and porcelain tiles. It offers excellent workability, extended open time, and reliable adhesion for both interior and exterior installations.

APPLICATIONS

- Ceramic tile installation
- Porcelain tile installation
- Floor tiling
- Wall tiling
- Residential buildings
- Commercial buildings
- Renovation projects

27

DURATILE WHITE

WHITE TILE ADHESIVE

DESCRIPTION

Duratile White is a durable white cement-based tile adhesive developed for the installation of light-coloured ceramic, porcelain, and natural stone tiles. Its white formulation prevents staining and provides a clean finish, making it ideal for decorative tile applications.

APPLICATIONS

- White marble installation
- Glass mosaics
- Ceramic tiles
- Porcelain tiles
- Decorative wall finishes
- Kitchens
- Bathrooms

25kg

28

DURATILE WP GREY

WATERPROOF TILE ADHESIVE

DESCRIPTION

Duratile WP Grey is a waterproof cementitious tile adhesive designed for areas exposed to constant moisture. It combines superior bonding strength with enhanced water resistance, making it suitable for wet environments.

APPLICATIONS

- Bathrooms
- Shower areas
- Swimming pools
- Water features
- Balconies
- Terraces
- Commercial kitchens

25kg

29

DURATILE WP WHITE

WHITE WATERPROOF TILE ADHESIVE

DESCRIPTION

Duratile WP White is a white waterproof tile adhesive specially formulated for fixing light-coloured tiles and natural stones in wet environments. It delivers excellent adhesion while helping maintain the aesthetic appearance of premium finishes.

APPLICATIONS

- Bathrooms
- Swimming pools
- Decorative wall tiles
- Marble installation
- Glass mosaics
- Wet rooms
- Balconies

25kg

30

**DURATILE FLEX
GREY**

SUBSTRATE MOVEMENT ADHESIVE

DESCRIPTION

Duratile Flex Grey is a highly flexible cement-based tile adhesive designed to accommodate substrate movement and thermal expansion. It provides exceptional bond strength for demanding tiling applications.

APPLICATIONS

- Large-format tiles
- Exterior wall tiling
- Heated floors
- Balconies
- Terraces
- High-traffic commercial areas
- Concrete substrates

25kg

31


**DURATILE FLEX
WHITE**
DECORATIVE ADHESIVE
DESCRIPTION

Duratile Flex White is a durable flexible white tile adhesive developed for natural stone, marble, porcelain, and decorative tiles. Its superior flexibility reduces the risk of tile debonding and cracking caused by structural movement.

APPLICATIONS

- Marble installation
- Granite installation
- Glass mosaics
- Porcelain tiles
- Exterior facades
- Swimming pools
- Luxury residential projects

25kg

32

DURATILE GROUT
TILE JOINT FILLER
DESCRIPTION

Duratile Grout is a cement-based tile joint filler formulated to provide durable, smooth, and attractive joints between tiles. It offers excellent adhesion, low shrinkage, and resistance to cracking while enhancing the overall appearance of tiled surfaces.

APPLICATIONS

- Kitchens
- Swimming pools
- Commercial buildings
- Residential buildings
- Available Colours: Grey, Cream, White, Ivory and Blue.
- Applications
- Floor tile joints
- Wall tile joints
- Bathrooms

33

DURA EPOXY FLOORING
CONCRETE ABRASION RESISTANCE
DESCRIPTION

Dura Epoxy Flooring is a durable seamless epoxy flooring system designed to provide exceptional durability, abrasion resistance, and chemical protection for concrete floors. It creates a smooth, dust-free, and easy-to-clean surface capable of withstanding heavy traffic and demanding industrial environments while enhancing the aesthetic appearance of the facility.

APPLICATIONS

- Manufacturing plants
- Warehouses
- Pharmaceutical facilities
- Food processing plants
- Hospitals
- Laboratories
- Car parks
- Commercial and industrial buildings

 4mm, 8mm
As specified

34

**DURA SPORT
FACILITY
FLOORING**
IMPACT ABSORPTION &
SLIP RESISTANCE
DESCRIPTION

Dura Sport Facility Flooring is a durable, high-performance sports flooring system engineered to provide excellent impact absorption, slip resistance, and long-lasting performance. It delivers a safe and comfortable playing surface for both indoor and outdoor sporting facilities while maintaining its appearance under continuous use.

APPLICATIONS

- Basketball courts
- Tennis courts
- Volleyball courts
- Multi-purpose sports halls
- School sports facilities
- Gymnasiums
- Recreation centres
- Outdoor sports courts

35

**DURA POLYURETHANE
FLOORING**
CHEMICAL RESISTANCE & THERMAL MOVEMENT
DESCRIPTION

Dura Polyurethane Flooring is a seamless flooring system formulated to provide superior flexibility, chemical resistance, and excellent wear performance in environments subjected to heavy mechanical loads and thermal movement. It delivers a hygienic, durable, and aesthetically pleasing finish suitable for industrial and commercial applications.

APPLICATIONS

- Food processing facilities
- Beverage factories
- Cold rooms
- Commercial kitchens
- Pharmaceutical plants
- Warehouses
- Industrial manufacturing plants
- Healthcare facilities

36

**DURA SL SELF-LEVELLING
FLOORING**
DURABLE FLOOR SURFACES
DESCRIPTION

Dura SL Self-Levelling Flooring is a durable cementitious self-levelling flooring system developed to produce smooth, level, and durable floor surfaces before the installation of final floor finishes. Its excellent flow characteristics ensure rapid application and superior surface quality.

APPLICATIONS

- Residential buildings
- Commercial buildings
- Hospitals
- Schools
- Hotels
- Shopping malls
- Office buildings
- Floor preparation before tiles, vinyl, carpet and epoxy flooring

25kg

37

POLYURETHANE MEMBRANE
 LIQUID-APPLIED WATERPROOFING

DESCRIPTION

Polyurethane Membrane is a single-component liquid-applied waterproofing membrane that cures to form a seamless, highly elastic, and durable waterproof barrier. It offers excellent crack-bridging ability, UV resistance, and long-term protection against water penetration in exposed and concealed waterproofing applications.

APPLICATIONS

- Roof waterproofing
- Balconies
- Terraces
- Podium decks
- Roof gutters
- Planter boxes
- Exposed concrete surfaces

38

DURA ACRYLIC WATERPROOFING MEMBRANE
 ACRYLIC-BASED WATERPROOF COATING

DESCRIPTION

Dura Acrylic Waterproofing Membrane is a flexible acrylic-based waterproof

coating designed to provide long-lasting protection against rain water penetration and moisture ingress. It forms a seamless UV-resistant membrane that accommodates minor structural movement while maintaining excellent weather resistance.

APPLICATIONS

- Concrete roofs
- Balconies
- Terraces
- External walls
- Parapet walls
- Canopies
- Podium decks
- Building facades

39

DURA BITUMINOUS MEMBRANE
 MOISTURE PENETRATION PROTECTOR

DESCRIPTION

Dura Bituminous Membrane is a durable waterproofing membrane designed to provide superior

protection against groundwater and moisture penetration. It forms a durable waterproof barrier with excellent resistance to ageing, soil chemicals, and hydrostatic pressure.

APPLICATIONS

- Foundations
- Basements
- Retaining walls
- Underground structures
- Roof waterproofing
- Concrete slabs
- Bridge decks
- Water-retaining structures

40

DURA PVC WATERBAR
 POLYVINYL CHLORIDE WATERSTOP

DESCRIPTION

Dura PVC Waterbar is a flexible polyvinyl chloride waterstop designed to prevent water leakage through construction and expansion joints in reinforced concrete structures. It provides long-term watertight sealing while accommodating structural movement.

APPLICATIONS

- Water tanks
- Reservoirs
- Swimming pools
- Basements
- Retaining walls
- Dams
- Tunnels
- Sewage treatment plants

41

RIGIFOAM THERMAL INSULATION
 BUILDING ENERGY EFFICIENCY

DESCRIPTION

RigiFoam Thermal Insulation is a rigid thermal insulation system designed to improve the energy efficiency of buildings by minimizing heat transfer through walls, roofs, and other building elements. It offers excellent thermal performance, moisture resistance, and long-term durability while contributing to occupant comfort and reduced energy consumption.

APPLICATIONS

- Roof insulation
- External wall insulation
- Internal wall insulation
- Cold rooms
- Industrial buildings
- Residential buildings
- Commercial buildings
- Green building projects

42
